

TRIMLIFE

ARCHITECTURAL PROFILES

FINISHING · TRANSITION · PROTECTION

TLF



TLF

TRIMLIFE PROFILES CO., LTD.

Address: Guanyao, Shishan, Foshan, Guangdong, China

E-Mail: tlf_wynn@126.com, tlf_support@126.com

Tel/WhatsApp: +86-136-7974-1023



Scan to connect

PRODUCT CATALOGUE

TILE EDGING · FLOOR TRANSITIONS
STAIR NOSING · SKIRTING

www.trimlifeprofiles.com



VERTICAL INTEGRATION

Established in 2003, we manufacture precision aluminium trim and transition profiles for tile, stone, flooring and wall applications. Across a total manufacturing area of 25,000 m², we integrate tooling development, extrusion, anodizing, powder coating and CNC machining. This integrated manufacturing model ensures consistent quality, reliable lead times and flexible customization capabilities.

Designed for distributors, contractors and OEM partners, our manufacturing system supports product development from concept to mass production.


- Custom Profile Development
- Custom Colors & Finishes
- Custom Perforation Patterns
- Custom machining and Length Processing

Parameter	Specification
Established	2003
Facility Area	25,000 m ²
Annual Capacity	5,000 Tons
Quality System	ISO 9001 Certified
Service	OEM & ODM
Manufacturing	Tooling, Extrusion, Anodizing, Powder Coating & CNC Machining

COLORS & FINISHES

Anodized

Finishes & Flexibility
All standard colors are fully compatible with our four core surface treatments:



Standard Colors



Mix and match colors and finishes to fulfill precise project specifications.

Power Coated



Color Customization Service

Our standard range covers the most popular architectural finishes. For projects requiring a specific appearance, custom colors can be developed upon request.




PERFORATION OPTIONS



Custom perforation patterns, hole sizes and spacing can be developed to meet project requirements.

TILE EDGING & FINISHING PROFILES



STRAIGHT EDGE



6063-T5
Aluminum Alloy




Length 1-4m
Customized



Tiling



Formable/
Bendable



PROFILE HEIGHT OPTIONS



TST06



TST08



TST10



TST12



TST15



TST18




TST22

DIMENSIONS

Model	A(mm)	B(mm)	C(mm)	D(mm)	Weight(kg/m)
TST06	6	20	7	2	0.074
TST08	8	20	9	2	0.079
TST10	10	20	11	2	0.085
TST12	12	20	13	2	0.09
TST15	15	20	16	2	0.098
TST18	18	20	19	2	0.106
TST22	22.5	20	23.5	2	0.12



ROUND EDGE




PROFILE HEIGHT OPTIONS




DIMENSIONS

Model	A(mm)	B(mm)	C(mm)	D(mm)	Weight(kg/m)
TRD06	6	26	7.5	6	0.091
TRD08	8	28	9.5	8	0.108
TRD10	10	30	11.5	10	0.124
TRD12	12	32	13.5	12	0.141



SQUARE EDGE




PROFILE HEIGHT OPTIONS



DIMENSIONS

Model	A(mm)	B(mm)	C(mm)	D(mm)	Weight(kg/m)
TSQ08	8	9	27	10	0.125
TSQ10	10	11	27	10	0.136
TSQ12	12	13	27	10	0.147



TRIANGLE EDGE




6063-T5
Aluminum Alloy



Length 1-4m
Customized



Tiling



PROFILE HEIGHT OPTIONS



TTR10




TTR12

DIMENSIONS

Model	A(mm)	B(mm)	C(mm)	D(mm)	Weight(kg/m)
TTR12	10	11	32	11	0.133
TTR10	12	13	32	13	0.141

TILE EDGING ACCESSORIES



Straight Edge Corner




Triangle Edge Corner



Round Edge Corner



Square Edge Corner



CORNER PROTECTOR




6063-T5
Aluminum Alloy




Length 1-4m
Customized



Tiling



PROFILE SIZE OPTIONS



TCP10



TCP15




TCP20



TCP25

DIMENSIONS

Model	A(mm)	B(mm)	C(mm)	Weight(kg/m)
TCP10	10	10	9	0.047
TCP15	15	15	14	0.091
TCP20	20	20	19	0.101
TCP25	25	25	24	0.128



INTERNAL TRIM




6063-T5
Aluminum Alloy



Length 1-4m
Customized



Tiling



PROFILE SIZE OPTIONS



TIN16




TIN22

DIMENSIONS

Model	A(mm)	B(mm)	C(mm)	Weight(kg/m)
TIN16	16	11.5	8.5	0.069
TIN22	22	15.8	11.4	0.1



LISTELLO



PROFILE WIDTH OPTIONS



DIMENSIONS

Model	A(mm)	B(mm)	C(mm)	D(mm)	Weight(kg/m)
TLT10	10	8	2.6	6	0.072
TLT20	20	8	4.2	6	0.108
TLR10	10	8	2.6	6	0.067
TLR20	20	8	4.2	6	0.104

FLOORING & TRANSITION PROFILES





T-STRIP



6063-T5
Aluminum Alloy




Length 1-4m
Customized



Flooring




Flat
Transition



PROFILE WIDTH OPTIONS

14mm



FDT14

22mm



FDT22

DIMENSIONS

Model	A(mm)	B(mm)	C(mm)	Weight(kg/m)
FDT14	14	8	9	0.059
FDT22	22	9	10	0.083



COVER PROFILE



6063-T5
Aluminum Alloy




Length 1-4m
Customized



Flooring




Flat
Transition



PROFILE WIDTH OPTIONS



FCP28



FCP40



DIMENSIONS

Model	A(mm)	B(mm)	C(mm)	Weight(kg/m)
FCP28	28	2.3	3.5	0.077
FCP40	40	2	3.5	0.139



REDUCER

Retrofit



PROFILE HEIGHT OPTIONS




DIMENSIONS

Model	A(mm)	B(mm)	C(mm)	D(mm)	Weight(kg/m)
FRR03	3	27	4.5	22.8	0.105
FRR08	8	32	9.5	22.8	0.137
FRR13	13	37	14.5	22.8	0.169




CURVED REDUCER

Retrofit



PROFILE WIDTH OPTION





DIMENSIONS

Model	A(mm)	B(mm)	C(mm)	Weight(kg/m)
FCR32	0-15	32	6.5	0.138



RAMP

Retrofit



PROFILE WIDTH OPTION




DIMENSIONS

Model	A(mm)	B(mm)	C(mm)	Weight(kg/m)
FRA80	8-15	80.3	20.4	0.771



RAMP

Tile In



PROFILE HEIGHT OPTIONS



DIMENSIONS

Model	A(mm)	B(mm)	C(mm)	Weight(kg/m)
FTRA10	10	87.6	66.6	0.403
FTRA12	12.5	87.6	57.9	0.417



EDGE PROFILE

Laminate/Wood Flooring



6063-T5
Aluminum Alloy




Length 1-4m
Customized



Flooring



Laminate/Wood




PROFILE HEIGHT OPTIONS



FWE08



FWE10



FWE12



FWE15



FWE18

DIMENSIONS

Model	A(mm)	B(mm)	C(mm)	D(mm)	Weight(kg/m)
FWE08	8.5	13	25	10.5	0.119
FWE10	10.5	13	25	12.5	0.125
FWE12	12.5	18	25	14.5	0.141
FWE15	15.5	18	25	17.5	0.151
FWE18	18.5	18	25	20.5	0.159



EDGE PROFILE

Vinyl/LVT/SPC Flooring



6063-T5
Aluminum Alloy




Length 1-4m
Customized



Flooring



Vinyl/LVT/
SPC



PROFILE HEIGHT OPTIONS



FVE03



FVE05




FVE07



FVE09



DIMENSIONS

Model	A(mm)	B(mm)	C(mm)	D(mm)	Weight(kg/m)
FVE03	3	8	22.8	5.4	0.085
FVE05	5	8	22.8	7.4	0.091
FVE07	7	8	22.8	9.4	0.098
FVE09	9	8	22.8	11.4	0.104



REDUCER

Vinyl/LVT/SPC Flooring



PROFILE HEIGHT OPTIONS



DIMENSIONS

Model	A(mm)	B(mm)	C(mm)	D(mm)	Weight(kg/m)
FVR03	3	8	28.2	6.4	0.108
FVR05	5	8	28.2	8.4	0.114
FVR07	7	8	28.2	10.4	0.121
FVR09	9	8	28.2	12.4	0.129

STAIR NOSING & EDGE PROTECTION





STAIR NOSING

Retrofit




6063-T5
Aluminum Alloy



Length 1-4m
Customized



Stairs



PROFILE WIDTH OPTIONS


30mm



SSN30

DIMENSIONS

Model	A(mm)	B(mm)	C(mm)	Weight(kg/m)
SSN30	30	20	18.5	0.166



GROOVED NOSING

Retrofit




6063-T5
Aluminum Alloy



Length 1-4m
Customized




Stairs



PROFILE WIDTH OPTIONS

30mm



SGSN35

50mm



SGSN50

DIMENSIONS

Model	A(mm)	B(mm)	C(mm)	Weight(kg/m)
SGSN35	35	20	22	0.247
SGSN50	50	35	37	0.388



BULLNOSE

Retrofit




6063-T5
Aluminum Alloy





Length 1-4m
Customized



Stairs



PROFILE HEIGHT OPTIONS



DIMENSIONS

Model	A(mm)	B(mm)	C(mm)	Weight(kg/m)
SBN30	29.5	30	27.5	0.158
SBN44	44	35	42	0.21



STAIR NOSING

Tile In




6063-T5
Aluminum Alloy



Length 1-4m
Customized



Stairs



PROFILE HEIGHT OPTIONS





DIMENSIONS

Model	A(mm)	B(mm)	C(mm)	D(mm)	Weight(kg/m)
STSN10	10	41.5	20.5	11	0.222
STSN12	12.5	41.5	20.5	13.5	0.238



STAIR NOSING

Heavy Duty & Tile In




PROFILE HEIGHT OPTIONS




DIMENSIONS

Model	A(mm)	B(mm)	C(mm)	D(mm)	Weight(kg/m)
SHSN10	10	74	56	55	0.542
SHSN12	12.5	74	56	57	0.565




STAIR NOSING

Laminate/Wood Flooring



PROFILE HEIGHT OPTIONS





DIMENSIONS

Model	A(mm)	B(mm)	C(mm)	D(mm)	Weight(kg/m)
SWSN08	8.5	22.5	18	25	0.184
SWSN10	10.5	24.5	18	25	0.189
SWSN12	12.5	26.5	18	25	0.172




STAIR NOSING

Vinyl/LVT/SPC



PROFILE HEIGHT OPTIONS





DIMENSIONS


Model	A(mm)	B(mm)	C(mm)	D(mm)	Weight(kg/m)
SVSN03	3	46.6	25.4	42	0.283
SVSN05	5	48.6	25.4	42	0.296
SVSN07	7	50.6	25.4	42	0.312
SVSN09	9	52.6	25.4	42	0.307



SKIRTING



PROFILE HEIGHT OPTIONS



DIMENSIONS

Model	A(mm)	B(mm)	C(mm)	D(mm)	Weight(kg/m)
SKB60	60	9.4	12.4	3	0.289
SKB80	80	9.4	12.4	3	0.377
SKB100	100	9.4	12.4	3	0.465

SKIRTING ACCESSORIES



Right End Cap



Left End Cap



Internal Corner



External Corner

TECHNICAL NOTICE

All dimensions, specifications, illustrations, and product information contained in this catalogue are provided for reference purposes only.

Product designs, dimensions, and specifications may be modified without prior notice as part of ongoing product development.

Actual surface finishes and colors may vary slightly from printed or digital representations.

While every effort has been made to ensure the accuracy of this catalogue, the company accepts no responsibility for typographical, clerical, or printing errors.

2026 TrimLife Aluminum Profiles Co., Ltd. All Rights Reserved.

